

ANTIFREEZER 100% C

Concentrate yellow antifreezer refrigerant

Pure antifreezer & coolant, made from glycols and a package of corrosion inhibitors to provide complete protection to all refrigeration circuit components found in internal combustion engines. Excellent corrosion protection for all metals and alloys in the circuit, as well as high cooling and boiling power. Applicable to any car brand. Protects the metal parts of the circuit.

MODE OF USE

Freezing point to -10: use 20% to -16 ° C: 30% use to -23 ° C: 40% use to -35 ° C: 50% employed.

CHARACTERISTICS

Appearance: Transparent
Color: Yellow
Odor: Odourless
pH: 7,5 - 8,5

Chemical description: Glycol/s

Skin Sens. 1: H317 - May cause an allergic skin reaction.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1)

Maximum V.O.C. content: 299,67 g/L (20 °C)

Warning

